

# Summary of SOLAS Requirements for Maintenance, Servicing, Testing and Drills

# **Guidance** note

# On-board Maintenance and Inspection of Fire Protection Systems and Appliances

Fire Protection System or Appliance		Intervals										
		Monthly	3-Monthly	Annually	2-Yearly	5-Yearly	10-Yearly					
Breathing Apparatus (MSC Circ. 1432)	X			X		X						
Emergency Escape Breathing Devices (EEBD) (MSC Circ. 1432)	X			X								
Fire Doors (MSC Circ. 1432)	X		X	X								
Fire mains, fire pumps, hydrants, hoses and nozzles (MSC Circ. 1432)		X	X	X								
Fire-Fighters' Outfits (MSC Circ. 1432)		X										
Fixed Carbon Dioxide (CO2) Fire-Extinguishing Systems (MSC Circ. 1318)		X		X	<b>X</b> 1	X	X					
Other fixed Gas Fire-Extinguishing Systems (MSC Circ. 1432)	X	X		X	X	X	X					
Fixed aerosol extinguishing systems		X		X			X					
Fixed Dry Chemical Powder Fire-Extinguishing Systems (MSC Circ. 1432)		X		X	X		X					
Fixed Fire Detection and Fire Alarm Systems (MSC Circ. 1432)	X	X		X								
Fixed Foam Fire-Extinguishing Systems (MSC Circ. 1432)		X	X	X		X						
Galley and deep fat cooking fire-extinguishing systems (MSC Circ. 1432)				X								
Low Location Lighting (LLL) Systems (MSC Circ. 1432)	X					X						
Portable Fire-Extinguishers (Res. A.951(23))				X		X	X					
Portable Foam Applicators (MSC Circ. 1432)		X		X								
Public address and general alarm systems (MSC Circ. 1432)	X											
Ventilation systems and fire dampers (MSC Circ. 1432)			X	X								
Water mist, water spray and sprinkler systems (MSC Circs. 1432 & 1516)	X	X	X	X		X	X					
Wheeled (mobile) Fire-Extinguishers (MSC Circ. 1432)		X		X		X	X					

#### KEY:

X Required

#### **NOTES:**

1. Intervals of 2 years for passenger ships or at each intermediate/periodical or renewal survey for cargo ships

## Servicing, Inspections & Testing of Life-Saving Appliances, Radio & Navigation Equipment

		any			Intervals					
Requirement SOLAS Regulations		Service company	Crew	Under survey	Weekly	Monthly	Annually	30 Months	5-Yearly	
Accommodation Ladders, gangways, davits and winches	II-1/3-9, MSC Circ. 1331									
Maintained in accordance with manufacturer's instructions.	MSC Circ. 1331	X	X							
Thorough examination	MSC Circ. 1331	X	X				<b>X</b> 2			
Max. operational load test	MSC Circ. 1331	X	X	X					<b>X</b> 3	
Passenger ship lightweight test	II-1/5.5 (II-1/22.3)			X					X	
Servicing of inflatable liferafts, inflatable lifejackets, marine evacuation systems	III/20.8.1	<b>X</b> 4					<b>X</b> 5			
Servicing of inflatable liferafts (30 months)	III/20.8.3 & MSC Circ.1328	<b>X</b> 4	X					X		
Servicing of hydrostatic release units (other than disposable hydrostatic release units)	III/20.9	<b>X</b> 4					<b>X</b> 5			
Launching appliances (davit and winch):	III/20.11.1 & MSC Circ. 1206									
Maintained in accordance with instructions for on-board maintenance.	III/20.11.1.1		X		X	X				
Thorough examination	III/20.11.1.2	<b>X</b> 1					<b>X</b> 2			
Dynamic test of winch brake with load of empty boat, i.e. without persons on-board.	III/20.11.1.3	<b>X</b> 1					<b>X</b> 2			
Dynamic test of winch brake with a proof load of 1.1 x weight of fully equipped and manned boat.	III/20.11.1.3	<b>X</b> 1		X					<b>X</b> 3	
Lifeboat on-load release gear:	III/20.11.2 & MSC Circ. 1206									
Maintained in accordance with instructions for on-board maintenance.	III/20.11.2.1		X		X	X				
Thorough examination and operational test with load of empty boat, i.e. without persons on-board	III/20.11.2.2	<b>X</b> 1					<b>X</b> 2			
Operational test under 1.1 x total mass of lifeboat fully equipped and loaded	III/20.11.2.3	<b>X</b> 1		X					<b>X</b> 3,6	
Davit-launched liferaft automatic release hooks:	III/20.11.3 & MSC Circ. 1206									
Maintained in accordance with instructions for on-board maintenance.	III/20.11.3.1		X		X	X				
Thorough examination and operational test.	III/20.11.3.2	<b>X</b> 1	X				<b>X</b> 2			
Operational test under 1.1 x total mass of liferaft fully equipped and loaded when release hook is overhauled.	III/20.11.3.3	<b>X</b> 1		X					Х3	
EPIRB testing	IV/15.9 & MSC Circ. 1040	X					<b>X</b> 2			
EPIRB maintenance	IV/15.9 & MSC Circ. 1040	<b>X</b> 4							<b>X</b> 2	
VDR/S-VDR testing	V/18.8 & MSC Circ. 1222	<b>X</b> 1					<b>X</b> 2			
AIS testing	V/18.9 & MSC Circ. 1252	<b>X</b> 4					<b>X</b> 2			

### NOTES:

- 1. Conducted by manufacturer's representative or person trained and certified by the manufacturer. See MSC Circ. 1277.
- 2. Within survey window.
- 3. Preferably within survey window.
- 4. To be done at approved servicing station. For AIS to be done by approved service surveyor.
- 5. At intervals not exceeding 12 months, the Flag may extend this period to 17 months. Flags may permit intervals to be extended to harmonise with survey windows (MSC/Circ.955).
- 6. The operational testing of free-fall lifeboat release systems shall be performed either by free-fall launch with only the operating crew on board or by a simulated launching

## On-board Training, Drills and Inspections of Fire Appliances & Life-Saving Appliances

					Intervals								
Requirement	SOLAS Regulations	Service company	Crew	Ship's log	Weekly	Monthly	3-Monthly	4-Monthly	6-Monthly	Annually	2-Yearly	5-Yearly	
Watertight door drills	II-1/21 (II-1/23)		Х	Х	<b>X</b> 2								
Abandon ship drill and fire drill - cargo ships	III/19.3		X	X		X							
Abandon ship drill and fire drill - passenger ships	III/19.3, III/30		X	X	X								
Abandon ship drill - lowering lifeboats	III/19.3.4.1, MSC/Circ.1578		X	X	<b>X</b> 2	Хз							
Abandon ship drill - launching lifeboats & rescue boats	III/19.3.4.3 & 19.3.4.6, MSC.1/Circ.1578		X	X		<b>X</b> 1	X						
Abandon ship drill - free-fall lifeboat drill	III/19.3.4.4, MSC/Circ.1578		X	X			X						
Abandon ship drill - launch (or simulated launch) free-fall lifeboats	III/19.3.4.4, MSC/Circ.1578		x	x					X				
Abandon ship drill - MES drill	III/19.3.4.8		X	X	<b>X</b> 2	<b>X</b> 3							
Abandon ship drill - MES training	III/19.3.4.8		X	X							X		
Abandon ship drill - testing of emergency lighting	III/19.3.4.9		X	X	<b>X</b> 2	Хз							
Enclosed Space Entry and Rescue Drills	III/19.3.3 & 19.3.6		X	X			<b>X</b> 7						
LSA & fire on-board training	III/19.4.1 & .2		X	X	<b>X</b> 2	<b>X</b> 3							
Davit-launched liferaft training	III/19.4.3		X	X				X					
Launching appliances - inspect wire ropes	III/20.4, MSC/Circ.1206	X	X							X			
Launching appliances - wire ropes renewed	III/20.4, MSC/Circ.1206	X	X									<b>X</b> 4	
Survival craft, rescue boats and launching appliances (visual inspection)	III/20.6.1, MSC/Circ.1206		X	X	X								
Test run of lifeboat and rescue boat engines	III/20.6.2, MSC/Circ.1206		X	X	<b>X</b> 5								
Davit launched lifeboats - Moved from stowed position	III/20.6.3		X	X	Хз								
Testing of public address and general alarm system	III/20.6.4		X	X	X								
Davit launched lifeboats - Turned out from stowed position	III/20.7.1		X			X							
Inspection of LSA including lifeboat equipment	III/20.7.2 & III/36.1		X			X							
Steering gear tests	V/26.1 & .2		X	X	<b>X</b> 6								
Emergency steering drill	V/26.4		X	X			X						

#### **NOTES:**

- 1. Dedicated rescue boats launched monthly if possible
- 2. Passenger ships
- 3. Cargo ships
- 4. When necessary due to deterioration of the falls or at intervals of not more than 5 years
- 5. In special cases the Flag may waive this requirement for ships constructed before 1 July 1986
- 6. Within 12 hours before departure or weekly for ships which regularly engage on voyages of short duration
- 7. Every two months

For further information, contact Will Millar, Statutory Support Group on +44 (0)330 4140 152 or at

#### statutorysupport@lr.org

Lloyd's Register and variants of it are trading names of Lloyd's Register Group Limited, its subsidiaries and affiliates. Copyright © Lloyd's Register Group Limited. 2017. A member of the Lloyd's Register group.